

Levitronix® Standard Article List and Order Information Maglev Pumpsystem BPS-2000, Accessories and Spare Parts

Article Name (and Description)	Part No.	Article Category	Note
Systems			
Pump System BPS-2000.1 (High Flow) Motor LPM-2000.2 (3m FEP Cable, ETFE Coating, AMP Connector) Controller LPC-2000.1-01 (Standalone Display, Enable Connector, High Flow) Pump Head LPP-2000.6 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Kalrez O-Ring) Note: Extension Cables MCAP-2000.1-yy and MCAS-600.1-yy to be ordered separately.	100-90479	BPS-2000	Do not use for new applications. Replacement system is BPS-2000.48 (100-91461).
Pump System BPS-2000.2 or BPS-2000.3 (High Flow) Motor LPM-2000.2 (3m FEP Cable, ETFE Coating, AMP Connector) Controller LPC-2000.2-01 (USB, Extended PLC Interface) or LPC-2000.3-01 (RS232, Ext. PLC) Pump Head LPP-2000.6 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Kalrez O-Ring) Note: Extension Cables MCAP-2000.1-yy and MCAS-600.1-yy to be ordered separately.	100-90480 or 100-90481	BPS-2000	Do not use for new applications. Replacement system is BPS-2000.49 (100-91462) or BPS-2000.46 (100-91416).
Pump System BPS-2000.48 (High Flow) Motor LPM-2000.2 (3m FEP Cable, ETFE Coating, AMP Connector) Controller LPC-2000.1-01 (Standalone Display, Enable Connector, High Flow) Pump Head LPP-2000.22 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Kalrez O-Ring) Note: Extension Cables MCAP-2000.1-yy and MCAS-600.1-yy to be ordered separately.	100-91461	BPS-2000	
Pump System BPS-2000.49 or BPS-2000.46 (High Flow) Motor LPM-2000.2 (3m FEP Cable, ETFE Coating, AMP Connector) Controller LPC-2000.2-01 (USB, Extended PLC Interface) or LPC-2000.3-01 (RS232, Ext. PLC) Pump Head LPP-2000.22 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Kalrez O-Ring) Note: Extension Cables MCAP-2000.1-yy and MCAS-600.1-yy to be ordered separately.	100-91462 or 100-91416	BPS-2000	
Pump System BPS-2000.4 (High Pressure) Motor LPM-2000.2 (3m FEP Cable, ETFE Coating, AMP Connector) Controller LPC-2000.1-02 (Standalone Display, Enable Connector) Pump Head LPP-2000.7 (PTFE, Pillar FM 1", PFA Impeller, Kalrez O-Ring) Note: Extension Cables MCAP-2000.1-yy and MCAS-600.1-yy to be ordered separately.	100-90482	BPS-2000	
Pump System BPS-2000.5 or BPS-2000.6 (High Pressure) Motor LPM-2000.2 (3m FEP Cable, ETFE Coating, AMP Connector) Controller LPC-2000.2-02 (USB, Extended PLC Interface) or LPC-2000.3-02 (RS232, Ext. PLC) Pump Head LPP-2000.7 (PTFE, Pillar FM 1", PFA Impeller, Kalrez O-Ring) Note: Extension Cables MCAP-2000.1-yy and MCAS-600.1-yy to be ordered separately.	100-90483 or 100-90484	BPS-2000	
Pump System BPS-2000.65 (Hybrid, Sealless) Motor LPM-2000.2 (3m FEP Cable, ETFE Coating, AMP Connector) Controller LPC-2000.1-14 (Standalone Display, Enable Connector, High Flow) Pump Head LPP-2000.21 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Welded Housing) Note: Extension Cables MCAP-2000.1-yy and MCAS-600.1-yy to be ordered separately.	100-91496	BPS-2000	
Pump System BPS-2000.66 or BPS-2000.67 (Hybrid, Sealless) Motor LPM-2000.2 (3m FEP Cable, ETFE Coating, AMP Connector) Controller LPC-2000.2-14 (USB, Extended PLC Interface) or LPC-2000.3-14 (RS232, Ext. PLC) Pump Head LPP-2000.21 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Welded) Note: Extension Cables MCAP-2000.1-yy and MCAS-600.1-yy to be ordered separately.	100-91497 or 100-91498	BPS-2000	
Pump System BPS-2000.7 (High Flow, ATEX) Motor LPM-2000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000.1-01 (Standalone Display, Enable Connector) Pump Head LPP-2000.6 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Kalrez O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-90485	BPS-2000	Do not use for new applications. Replacement system is BPS-2000.50 (100-91463).
Pump System BPS-2000.8 or BPS-2000.9 (High Flow, ATEX) Motor LPM-2000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000.2-01 (USB, Extended PLC Interface) or LPC-2000.3-01 (RS232, Ext. PLC) Pump Head LPP-2000.6 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Kalrez O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-90486 or 100-90487	BPS-2000	Do not use for new applications. Replacement system is BPS-2000.51 (100-91464) or BPS-2000.52 (100-91465).
Pump System BPS-2000.50 (High Flow, ATEX) Motor LPM-2000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000.1-01 (Standalone Display, Enable Connector) Pump Head LPP-2000.22 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Kalrez O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91463	BPS-2000	
Pump System BPS-2000.51 or BPS-2000.52 (High Flow, ATEX) Motor LPM-2000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000.2-01 (USB, Extended PLC Interface) or LPC-2000.3-01 (RS232, Ext. PLC) Pump Head LPP-2000.22 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Kalrez O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91464 or 100-91465	BPS-2000	
Pump System BPS-2000.10 (High Pressure, ATEX) Motor LPM-2000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000.1-02 (Standalone Display, Enable Connector) Pump Head LPP-2000.7 (PTFE, Pillar FM 1", PFA Impeller, Kalrez O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-90488	BPS-2000	
Pump System BPS-2000.11 or BPS-2000.12 (High Pressure, ATEX) Motor LPM-2000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000.2-02 (USB, Extended PLC Interface) or LPC-2000.3-02 (RS232, Ext. PLC) Pump Head LPP-2000.7 (PTFE, Pillar FM 1", PFA Impeller, Kalrez O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-90489 or 100-90490	BPS-2000	
Pump System BPS-2000.68 (Hybrid Sealless, ATEX) Motor LPM-2000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000.1-14 (Standalone Display, Enable Connector) Pump Head LPP-2000.21 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Welded Housing) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91499	BPS-2000	
Pump System BPS-2000.69 or BPS-2000.70 (Hybrid, Sealless, ATEX) Motor LPM-2000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000.2-14 (USB, Extended PLC Interface) or LPC-2000.3-14 (RS232, Ext. PLC) Pump Head LPP-2000.21 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Welded Housing) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91500 or 100-91501	BPS-2000	

Article Name (and Description)	Part No.	Article Category	Note
Pump System BPS-2000.30 (High Flow, ATEX, Antistatic PTFE) Motor LPM-2000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000.1-01 (Standalone Display, Enable Connector) Pump Head LPP-2000.14 (Antistatic PTFE Housing, Pillar FM 1", PFA-Impeller, Kalrez O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91103	BPS-2000	For solvent applications.
Pump System BPS-2000.31 or BPS-2000.32 (High Flow, ATEX, Antistatic PTFE) Motor LPM-2000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000.2-01 (USB, Extended PLC Interface) or LPC-2000.3-01 (RS232, Ext. PLC) Pump Head LPP-2000.14 (Antistatic PTFE Housing, Pillar FM 1", PFA-Impeller, Kalrez O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91104 or 100-91105	BPS-2000	For solvent applications.
Pump System BPS-2000.58 (High Pressure, ATEX, Stainless Steel) Motor LPM-2000.15 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000.1-12 (Standalone Display, Enable Connector) Pump Head LPP-2000.20 (Stainless Steel Housing/Impeller, VCR 1", Unfilled FFPM O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91471	BPS-2000	For solvent applications.
Pump System BPS-2000.59 or BPS-2000.60 (High Pressure, ATEX, Stainless Steel) Motor LPM-2000.15 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000.2-12 (USB, Extended PLC Interface) or LPC-2000.3-12 (RS232, Ext. PLC) Pump Head LPP-2000.20 (Stainless Steel Housing/Impeller, VCR 1", Unfilled FFPM O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91472 or 100-91473	BPS-2000	For solvent applications.
Pump System BPS-2000.78 (High Flow, ATEX, Water Cooling) Motor LPM-2000.18 (ATEX, 3m PVC Cable, Epoxy Coating, Hummel Connectors, Water Cooling) Controller LPC-2000.1-01 (Standalone Display, Enable Connector) Pump Head LPP-2000.22 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Kalrez O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91519	BPS-2000	
Pump System BPS-2000.79 or BPS-2000.80 (High Flow, ATEX, Water Cooling) Motor LPM-2000.18 (ATEX, 3m PVC Cable, Epoxy Coating, Hummel Connectors, Water Cooling) Controller LPC-2000.2-01 (USB, Extended PLC Interface) or LPC-2000.3-01 (RS232, Ext. PLC) Pump Head LPP-2000.22 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Kalrez O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91520 or 100-91521	BPS-2000	
Pump System BPS-2000.81 (High Pressure, ATEX, Water Cooling) Motor LPM-2000.18 (ATEX, 3m PVC Cable, Epoxy Coating, Hummel Connectors, Water Cooling) Controller LPC-2000.1-02 (Standalone Display, Enable Connector) Pump Head LPP-2000.7 (PTFE, Pillar FM 1", PFA Impeller, Kalrez O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91522	BPS-2000	
Pump System BPS-2000.82 or BPS-2000.83 (High Pressure, ATEX, Water Cooling) Motor LPM-2000.18 (ATEX, 3m PVC Cable, Epoxy Coating, Hummel Connectors, Water Cooling) Controller LPC-2000.2-02 (USB, Extended PLC Interface) or LPC-2000.3-02 (RS232, Ext. PLC) Pump Head LPP-2000.7 (PTFE, Pillar FM 1", PFA Impeller, Kalrez O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91523 or 100-91524	BPS-2000	
Pump System BPS-2000.77 (Hybrid, Sealless, ATEX, Water Cooling) Motor LPM-2000.18 (ATEX, 3m PVC Cable, Epoxy Coating, Hummel Connectors, Water Cooling) Controller LPC-2000.1-14 (Standalone Display, Enable Connector) Pump Head LPP-2000.21 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Welded Housing) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91518	BPS-2000	
Pump System BPS-2000.75 or BPS-2000.76 (Hybrid, Sealless, ATEX, Water Cooling) Motor LPM-2000.18 (ATEX, 3m PVC Cable, Epoxy Coating, Hummel Connectors, Water Cooling) Controller LPC-2000.2-14 (USB, Extended PLC Interface) or LPC-2000.3-14 (RS232, Ext. PLC) Pump Head LPP-2000.21 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Welded Housing) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91516 or 100-91517	BPS-2000	
Pump System BPS-2000.33 (High Flow, HazLoc) Motor LPM-2000.9 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors) Controller LPC-2000.1-01 (Standalone Display, Enable Connector) Pump Head LPP-2000.6 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Kalrez O-Ring) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91150	BPS-2000	Do not use for new applications. Replacement system is BPS-2000.53 (100-91466).
Pump System BPS-2000.34 or BPS-2000.37 (High Flow, HazLoc) Motor LPM-2000.9 (HazLoc Class Div2, ETFE Coating, Circular Connectors) Controller LPC-2000.2-01 (USB, Extended PLC Interface) or LPC-2000.3-01 (RS232, Ext. PLC) Pump Head LPP-2000.6 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Kalrez O-Ring) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91151 or 100-91171	BPS-2000	Do not use for new applications. Replacement system is BPS-2000.54 (100-91467) or BPS-2000.55 (100-91468).
Pump System BPS-2000.53 (High Flow, HazLoc) Motor LPM-2000.9 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors) Controller LPC-2000.1-01 (Standalone Display, Enable Connector) Pump Head LPP-2000.22 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Kalrez O-Ring) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91466	BPS-2000	
Pump System BPS-2000.54 or BPS-2000.55 (High Flow, HazLoc) Motor LPM-2000.9 (HazLoc Class Div2, ETFE Coating, Circular Connectors) Controller LPC-2000.2-01 (USB, Extended PLC Interface) or LPC-2000.3-01 (RS232, Ext. PLC) Pump Head LPP-2000.22 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Kalrez O-Ring) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91467 or 100-91468	BPS-2000	
Pump System BPS-2000.35 (High Pressure, HazLoc) Motor LPM-2000.9 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors) Controller LPC-2000.1-02 (Standalone Display, Enable Connector) Pump Head LPP-2000.7 (PTFE, Pillar FM 1", PFA Impeller, Kalrez O-Ring) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91152	BPS-2000	
Pump System BPS-2000.36 or BPS-2000.38 (High Pressure, HazLoc) Motor LPM-2000.9 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors) Controller LPC-2000.2-02 (USB, Extended PLC Interface) or LPC-2000.3-02 (RS232, Ext. PLC) Pump Head LPP-2000.7 (PTFE, Pillar FM 1", PFA Impeller, Kalrez O-Ring) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91153 or 100-91172	BPS-2000	

Article Name (and Description)	Part No.	Article Category	Note
Pump System BPS-2000.71 (Hybrid, Sealless, HazLoc) Motor LPM-2000.9 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors) Controller LPC-2000.1-14 (Standalone Display, Enable Connector) Pump Head LPP-2000.21 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Welded Housing) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91502	BPS-2000	
Pump System BPS-2000.72 or BPS-2000.73 (Hybrid, Sealless, HazLoc) Motor LPM-2000.9 (HazLoc Class Div2, ETFE Coating, Circular Connectors) Controller LPC-2000.2-14 (USB, Extended PLC Interface) or LPC-2000.3-14 (RS232, Ext. PLC) Pump Head LPP-2000.21 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Welded Housing) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91503 or 100-91504	BPS-2000	
Pump System BPS-2000.39 (High Flow, HazLoc, Antistatic PTFE) Motor LPM-2000.9 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors) Controller LPC-2000.1-01 (Standalone Display, Enable Connector) Pump Head LPP-2000.14 (Antistatic PTFE Housing, Pillar FM 1", PFA-Impeller, Kalrez O-Ring) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91173	BPS-2000	For solvent applications.
Pump System BPS-2000.40 or BPS-2000.41 (High Flow, HazLoc, Antistatic PTFE) Motor LPM-2000.9 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors) Controller LPC-2000.2-01 (USB, Extended PLC Interface) or LPC-2000.3-01 (RS232, Ext. PLC) Pump Head LPP-2000.14 (Antistatic PTFE Housing, Pillar FM 1", PFA-Impeller, Kalrez O-Ring) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91174 or 100-91175	BPS-2000	For solvent applications.
Pump System BPS-2000.56 (High Pressure, HazLoc, Stainless Steel) Motor LPM-2000.17 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors) Controller LPC-2000.1-12 (Standalone Display, Enable Connector) Pump Head LPP-2000.20 (Stainless Steel Housing/Impeller, VCR 1", Unfilled FFPM O-Ring) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91469	BPS-2000	For solvent applications.
Pump System BPS-2000.47 or BPS-2000.57 (High Pressure, HazLoc, Stainless Steel) Motor LPM-2000.17 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors) Controller LPC-2000.2-12 (USB, Extended PLC Interface) or LPC-2000.3-12 (RS232, Ext. PLC) Pump Head LPP-2000.20 (Stainless Steel Housing/Impeller, VCR 1", Unfilled FFPM O-Ring) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91423 or 100-91470	BPS-2000	For solvent applications.

Article Name (and Description)	Part No.	Article Category	Note
Accessories			
Air Cooling Module ACM-4.2 (PP, NPT1/4", Molded)	190-10139	Accessories Pump Systems	
Air Cooling Module ACM-4.3 (PP-EL-S, NPT1/4", Machined, for ATEX Motors)	190-10243	Accessories Pump Systems	
Fan Cooling Module FCM-2000.1 (PP+Talk Cover, 24V/33.5W IP68 Fan, 3m PP Cable/M12 Connector)	190-10390	Accessories Pump Systems	
Fan Cooling Module Cable, FCC-1.1-50 (5.0m, PP Cable, M12 Connector to Open Wire)	190-10407	Accessories	
Fan Cooling Module Cable, FCC-1.1-100 (10.0m)	190-10408	Pump Systems	
ATEX Cable Sealing System ACS-A.1	100-90292	Accessories Pump Systems	
Adaptor/Extension Power Cable, MCAP-2000.1-05 (0.5m, PVC-Jacket, Circular AMP/COMBICON)	190-10208		
Adaptor/Extension Power Cable, MCAP-2000.1-30 (3.0m)	190-10210		
Adaptor/Extension Power Cable, MCAP-2000.1-50 (5.0m)	190-10211	Accessories Pump Systems	
Adaptor/Extension Power Cable, MCAP-2000.1-70 (7.0m)	190-10205		
Adaptor/Extension Power Cable, MCAP-2000.1-100 (10.0m)	190-10212		
Adaptor/Extension Sensor Cable, MCAS-600.1-05 (0.5m, PVC-Jacket, Circular AMP/D-SUB)	190-10122		
Adaptor/Extension Sensor Cable, MCAS-600.1-30 (3.0m)	190-10123	Accessories Pump Systems	
Adaptor/Extension Sensor Cable, MCAS-600.1-50 (5.0m)	190-10124		
Adaptor/Extension Sensor Cable, MCAS-600.1-70 (7.0m)	190-10101		
Adaptor/Extension Sensor Cable, MCAS-600.1-100 (10.0m)	190-10125		
Adaptor/Extension Power Cable, MCAP-2000.2-05 (0.5m, PVC-Jacket, Circular Wall-Mount, M23/COMBICON)	190-10213		
Adaptor/Extension Power Cable, MCAP-2000.2-30 (3.0m)	190-10215	Accessories Pump Systems	
Adaptor/Extension Power Cable, MCAP-2000.2-50 (5.0m)	190-10216		
Adaptor/Extension Power Cable, MCAP-2000.2-70 (7.0m)	190-10217		
Adaptor/Extension Power Cable, MCAP-2000.2-100 (10.0m)	190-10218		
Adaptor/Extension Sensor Cable, MCAS-600.2-05 (0.5m, PVC-Jacket, Circular Wall-Mountable M23/D-SUB)	190-10226		
Adaptor/Extension Sensor Cable, MCAS-600.2-30 (3.0m)	190-10238	Accessories Pump Systems	
Adaptor/Extension Sensor Cable, MCAS-600.2-50 (5.0m)	190-10127		
Adaptor/Extension Sensor Cable, MCAS-600.2-70 (7.0m)	190-10105		
Adaptor/Extension Sensor Cable, MCAS-600.2-100 (10.0m)	190-10239		
Adaptor/Extension Power Cable, MCAP-2000.3-05 (0.5m, PVC-Jacket, Circular M23/COMBICON)	190-10219		
Adaptor/Extension Power Cable, MCAP-2000.3-30 (3.0m)	190-10221	Accessories Pump Systems	
Adaptor/Extension Power Cable, MCAP-2000.3-50 (5.0m)	190-10222		
Adaptor/Extension Power Cable, MCAP-2000.3-70 (7.0m)	190-10223		
Adaptor/Extension Power Cable, MCAP-2000.3-100 (10.0m)	190-10224		
Adaptor/Extension Sensor Cable, MCAS-600.3-05 (0.5m, PVC-Jacket, Circular M23/D-SUB)	190-10158		
Adaptor/Extension Sensor Cable, MCAS-600.3-30 (3.0m)	190-10159	Accessories Pump Systems	
Adaptor/Extension Sensor Cable, MCAS-600.3-50 (5.0m)	190-10130		
Adaptor/Extension Sensor Cable, MCAS-600.3-70 (7.0m)	190-10160		
Adaptor/Extension Sensor Cable, MCAS-600.3-100 (10.0m)	190-10161		
Adaptor/Extension Power Cable, MCIP-2000.1-05 (0.5m, PVC-Jacket, Circular M23/M23)	190-10396		
Adaptor/Extension Power Cable, MCIP-2000.1-30 (3.0m)	190-10397	Accessories Pump Systems	
Adaptor/Extension Power Cable, MCIP-2000.1-50 (5.0m)	190-10398		
Adaptor/Extension Power Cable, MCIP-2000.1-70 (7.0m)	190-10399		
Adaptor/Extension Power Cable, MCIP-2000.1-100 (10.0m)	190-10400		
Adaptor/Extension Sensor Cable, MCIS-2000.1-05 (0.5m, PVC-Jacket, Circular M23/M23)	190-10391		
Adaptor/Extension Sensor Cable, MCIS-2000.1-30 (3.0m)	190-10392	Accessories Pump Systems	
Adaptor/Extension Sensor Cable, MCIS-2000.1-50 (5.0m)	190-10393		
Adaptor/Extension Sensor Cable, MCIS-2000.1-70 (7.0m)	190-10394		
Adaptor/Extension Sensor Cable, MCIS-2000.1-100 (10.0m)	190-10395		
Spare Parts			
Impeller Exchange Kit IEK-2000.1 ("High Pressure") (LPI-2000.1, 8x SS+PTFE Pump screws, 4 SS+PTFE Motor Screws, Kalrez O-Ring Impeller Exchange Tool IET-3.1)	100-90529	Spare Parts Pump Systems	For pump head LPP-2000.7
Impeller Exchange Kit IEK-2000.2 ("High Flow") (LPI-2000.2, 8x SS+PTFE Pump screws, 4 SS+PTFE Motor Screws, Kalrez O-Ring Impeller Exchange Tool IET-3.1)	100-90530	Spare Parts Pump Systems	For pump head LPP-2000.6 and LPP-2000.22
Impeller Exchange Kit IEK-2000.8 ("High Flow") (LPI-2000.2, 8x SS+PTFE Pump Head Screws, 4 SS Motor Screws, Kalrez O-Ring Impeller Exchange Tool IET-3.1)	100-90986	Spare Parts Pump Systems	For pump head LPP-2000.14
Motor LPM-2000.2 (ETFE Coating, 3m FEP Cable with AMP Connectors)	100-10050	Spare Parts Pump Systems	
Motor LPM-2000.8 (ATEX, ETFE Coating, 3m FEP Cable with Hummel Connectors)	100-10060		
Motor LPM-2000.15 (ATEX, ETFE Coating, 3m FEP Cable with Hummel Connectors)	100-10164	Spare Parts Pump Systems	LPM-2000.15 is for stainless steel pump head only.
Motor LPM-2000.18 (ATEX, Epoxy Coating, 3m PVC Cable with Hummel Connectors, Water Cooling)	100-10181		
Motor LPM-2000.9 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors)	100-10112	Spare Parts Pump Systems	LPM-2000.17 is for stainless steel pump head only.
Motor LPM-2000.17 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors)			
Controller LPC-2000.1-01 (Stand-alone, 2kW, High Flow)	100-30018		
Controller LPC-2000.1-02 (Stand-alone, 2kW, High Pressure for PTFE Pump Head)	100-30019	Spare Parts Pump Systems	Includes power supply and PLC connector.
Controller LPC-2000.1-12 (Stand-alone, 2kW, High Pressure for Stainless Steel Pump Head)	100-30098		
Controller LPC-2000.1-14 (Stand-alone, 2kW, Hybrid)	100-30113		
Controller LPC-2000.2-01 (USB, PLC Interface, 2kW, High Flow)	100-30021		
Controller LPC-2000.2-02 (USB, PLC Interface, 2kW, High Pressure for PTFE Pump Head)	100-30022	Spare Parts Pump Systems	Includes power supply and PLC connector.
Controller LPC-2000.2-12 (USB, PLC Interface, 2kW, High Pressure for Stainless Steel Pump Head)	100-30094		
Controller LPC-2000.2-14 (USB, PLC Interface, 2kW, Hybrid)	100-30114		
Controller LPC-2000.3-01 (RS232, PLC Interface, 2kW, High Flow)	100-30024		
Controller LPC-2000.3-02 (RS232, PLC Interface, 2kW, High Pressure)	100-30025	Spare Parts Pump Systems	Includes power supply and PLC connector.
Controller LPC-2000.3-12 (RS232, PLC Interface, 2kW, High Pressure for Stainless Steel Pump Head)	100-30099		
Controller LPC-2000.3-14 (RS232, PLC Interface, 2kW, Hybrid)	100-30115		
Pump Head LPP-2000.6 - High Flow (PFA Housing, Tube 1" Fitting, PFA-Impeller LPI-2000.2, Kalrez Sealing O-Ring, SS+PTFE Screws, Reinforcing Case PP+GF30)	100-90418	Spare Parts Pump Systems	Do not use for new applications. Replacement pump head is LPP-2000.22.
Pump Head LPP-2000.22 - High Flow (PFA Housing, Tube 1" Fitting, PFA-Impeller LPI-2000.2, Kalrez Sealing O-Ring, SS+PTFE Screws, Reinforcing Case PP+GF30)	100-91415	Spare Parts Pump Systems	
Pump Head LPP-2000.7 - High Pressure (PTFE Housing, Pillar FM 1", PFA-Impeller LPI-2000.1, Kalrez Sealing O-Ring, SS+PTFE Screws)	100-90419	Spare Parts Pump Systems	
Pump Head LPP-2000.21 - Hybrid, Sealless (PFA Housing, Tube 1" Fitting, PFA Impeller, Welded Housing, SS+PTFE Screws, Reinforcing Case PP+GF30)	100-91495	Spare Parts Pump Systems	
Pump Head LPP-2000.14 - High Flow, Antistatic (Antistatic PTFE Housing, Pillar FM 1", PFA-Impeller LPI-2000.1, Kalrez Sealing O-Ring, SS Motor Screws, SS+PTFE Pump Head Screws)	100-90985	Spare Parts Pump Systems	For solvent applications. Needs specific motors (LPM-2000.15/17) and controllers (LPC-2000.x-12).
Pump Head LPP-2000.20 - High Pressure, Stainless Steel (Stainless Steel Housing/Impeller, VCR 1" Fittings, Unfilled FFPM O-Ring, SS Motor/Pump Screws)	100-91424	Spare Parts Pump Systems	For solvent applications.