

Levitronix® Standard Article List and Order Information

Maglev Pumpsystem BPS-4000, Accessories and Spare Parts

*Controllers LPC-4000.x are discontinued by 30-April-2025 (product notification PCN #PR-2505-69) and replaced by the LPC-4000S.x models with newest design.
Note that all new controller models LPC-4000S.x can run with the same firmware as the old LPC-4000.x models.
The pump systems BPS-4000.x are hence replaced by the new pump systems BPS-4000.xS (see separate article list) with the same index "x" but new article number.
Furthermore systems with pump heads containing a ECTFE impellers shall not be used anymore for new applications and are replaced by versions with PFA impeller.*

Article Name (and Description)	Part No.	Article Category	Note
Systems			
Pump System BPS-4000.27 (Stand-Alone, Flange 1.5/1", Reinforced Pump Head) Motor LPM-4000.2 (3m FEP Cable, ETFE Coating, AMP Connector) Controller LPC-4000.1 (Standalone Display, Enable Connector) Pump Head LPP-4000.5 (Flange 1.5/1", PTFE-Housing with SS-Support, ECTFE-Impeller, FFKM O-Ring) <i>Note: Extension Cables MCAP-4000.1-yy and MCAS-600.1-yy to be ordered separately.</i>	100-90962	BPS-4000	Not to be used for new applications. Replacement system is BPS-4000.64S (100-91841)
Pump System BPS-4000.28 (USB+PLC, Flange 1.5/1", Reinforced Pump.) / BPS-4000.29 (RS232+PLC) Motor LPM-4000.2 (3m FEP Cable, ETFE Coating, AMP Connector) Controller LPC-4000.2 (USB and PLC Interfaces) / LPC-4000.3 (RS232 and PLC Interfaces) Pump Head LPP-4000.5 (Flange 1.5/1", PTFE-Housing with SS-Support, ECTFE-Impeller, FFKM O-Ring) <i>Note: Extension Cables MCAP-4000.1-yy and MCAS-600.1-yy to be ordered separately.</i>	100-90963 or 100-90964	BPS-4000	Not to be used for new applications. Replacement system is BPS-4000.65S (100-91842) and BPS-4000.66S (100-91842) respectively
Pump System BPS-4000.30 (ATEX, Stand-Alone, Flange 1.5/1", Reinforced Pump Head) Motor LPM-4000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-4000.1 (Standalone Display, Enable Connector) Pump Head LPP-4000.5 (Flange 1.5/1", PTFE-Housing with SS-Support, ECTFE-Impeller, FFKM O-Ring) <i>Note: Extension Cables MCAP-4000.2-yy and MCAS-600.3-yy to be ordered separately.</i>	100-90965	BPS-4000	Not to be used for new applications. Replacement system is BPS-4000.67S (100-91844)
Pump System BPS-4000.31 (ATEX, USB+PLC, Flange 1.5/1", Reinforced Pump.) / BPS-4000.32 (RS232+PLC) Motor LPM-4000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-4000.2 (USB and PLC Interfaces) / LPC-4000.3 (RS232 and PLC Interfaces) Pump Head LPP-4000.5 (Flange 1.5/1", PTFE-Housing with SS-Support, ECTFE-Impeller, FFKM O-Ring) <i>Note: Extension Cables MCAP-4000.2-yy and MCAS-600.3-yy to be ordered separately.</i>	100-90966 or 100-90967	BPS-4000	Not to be used for new applications. Replacement system is BPS-4000.68S (100-91845) and BPS-4000.69S (100-91846) respectively
Pump System BPS-4000.52 (HazLoc, Stand-Alone, Flange 1.5/1", Reinforced Pump Head) Motor LPM-4000.10 (HazLoc, ETFE Coating, Hummel Connectors with NPT Thread for Conduit) Controller LPC-4000.1 (Standalone Display, Enable Connector) Pump Head LPP-4000.5 (Flange 1.5/1", PTFE-Housing with SS-Support, ECTFE-Impeller, FFKM O-Ring) <i>Note: Extens. Cables MCIP-4000.1-yy/MCIS-2000.1-yy and MCAP-4000.2-yy/MCAS-600.3-yy to be ordered separately.</i>	100-91162	BPS-4000	Not to be used for new applications. Replacement system is BPS-4000.70S (100-91850)
Pump System BPS-4000.53 (HazLoc, USB+PLC, Flange 1.5/1", Reinforced Pump.) / BPS-4000.54 (RS232+PLC) Motor LPM-4000.10 (HazLoc, ETFE Coating, Hummel Connectors with NPT Threads for Conduit) Controller LPC-4000.2 (USB and PLC Interfaces) / LPC-4000.3 (RS232 and PLC Interfaces) Pump Head LPP-4000.5 (Flange 1.5/1", PTFE-Housing with SS-Support, ECTFE-Impeller, FFKM O-Ring) <i>Note: Extens. Cables MCIP-4000.1-yy/MCIS-2000.1-yy and MCAP-4000.2-yy/MCAS-600.3-yy to be ordered separately.</i>	100-91163 or 100-91164	BPS-4000	Replacement system is BPS-4000.71S (100-91851) and BPS-4000.71S (100-91852) respectively
Pump System BPS-4000.47 (Stand-Alone, Pillar 1.5/1", Reinforced Pump Head) Motor LPM-4000.2 (3m FEP Cable, ETFE Coating, AMP Connector) Controller LPC-4000.1 (Standalone Display, Enable Connector) Pump Head LPP-4000.6 (Pillar 1.5/1", PTFE-Housing with SS Support, ECTFE-Impeller, FFKM O-Ring) <i>Note: Extension Cables MCAP-4000.1-yy and MCAS-600.1-yy to be ordered separately.</i>	100-91157	BPS-4000	Not to be used for new applications. Replacement system is BPS-4000.73S (100-91853)
Pump System BPS-4000.48 (USB+PLC, Pillar 1.5/1", Reinforced Pump Head) / BPS-4000.55 (RS232+PLC) Motor LPM-4000.2 (3m FEP Cable, ETFE Coating, AMP Connector) Controller LPC-4000.2 (USB and PLC Interfaces) / LPC-4000.3 (RS232 and PLC Interfaces) Pump Head LPP-4000.6 (Pillar 1.5/1", PTFE-Housing with SS-Support, ECTFE-Impeller, FFKM O-Ring) <i>Note: Extension Cables MCAP-4000.1-yy and MCAS-600.1-yy to be ordered separately.</i>	100-91158 or 100-91165	BPS-4000	Not to be used for new applications. Replacement system is BPS-4000.74S (100-91854) and BPS-4000.75S (100-91855) respectively
Pump System BPS-4000.49 (ATEX, Stand-Alone, Pillar 1.5/1", Reinforced Pump Head) Motor LPM-4000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-4000.1 (Standalone Display, Enable Connector) Pump Head LPP-4000.6 (Pillar 1.5/1", PTFE-Housing with SS-Support, ECTFE-Impeller, FFKM O-Ring) <i>Note: Extension Cables MCAP-4000.2-yy and MCAS-600.3-yy to be ordered separately.</i>	100-91159	BPS-4000	Not to be used for new applications. Replacement system is BPS-4000.76S (100-91856)
Pump System BPS-4000.46 (ATEX, USB+PLC, Pillar 1.5/1", Reinforced Pump Head) / BPS-4000.56 (RS232+PLC) Motor LPM-4000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-4000.2 (USB and PLC Interfaces) / LPC-4000.3 (RS232 and PLC Interfaces) Pump Head LPP-4000.6 (Pillar 1.5/1", PTFE-Housing with SS-Support, ECTFE-Impeller, FFKM O-Ring) <i>Note: Extension Cables MCAP-4000.2-yy and MCAS-600.3-yy to be ordered separately.</i>	100-91149 or 100-91166	BPS-4000	Not to be used for new applications. Replacement system is BPS-4000.77S (100-91857) and BPS-4000.78S (100-91858) respectively
Pump System BPS-4000.50 (HazLoc, Stand-Alone, Pillar 1.5/1", Reinforced Pump Head) Motor LPM-4000.10 (HazLoc, ETFE Coating, Hummel Connectors and NPT Threads for Conduit) Controller LPC-4000.1 (Standalone Display, Enable Connector) Pump Head LPP-4000.6 (Pillar 1.5/1", PTFE-Housing with SS-Support, ECTFE-Impeller, FFKM O-Ring) <i>Note: Extens. Cables MCIP-4000.1-yy/MCIS-2000.1-yy and MCAP-4000.2-yy/MCAS-600.3-yy to be ordered separately.</i>	100-91160	BPS-4000	Not to be used for new applications. Replacement system is BPS-4000.79S (100-91862)
Pump System BPS-4000.51 (HazLoc, USB+PLC, Pillar 1.5/1", Reinforced Pump Head) / BPS-4000.57 (RS232+PLC) Motor LPM-4000.10 (HazLoc, ETFE Coating, Hummel Connectors with NPT Threads for Conduit) Controller LPC-4000.2 (USB and PLC Interfaces) / LPC-4000.3 (RS232 and PLC Interfaces) Pump Head LPP-4000.6 (Pillar 1.5/1", PTFE-Housing with SS-Support, ECTFE-Impeller, FFKM O-Ring) <i>Note: Extens. Cables MCIP-4000.1-yy/MCIS-2000.1-yy and MCAP-4000.2-yy/MCAS-600.3-yy to be ordered separately.</i>	100-91161 or 100-91167	BPS-4000	Not to be used for new applications. Replacement system is BPS-4000.80S (100-91863) and BPS-4000.81S (100-91864) respectively

Article Name (and Description)	Part No.	Article Category	Note
Pump System BPS-4000.64 (Stand-Alone, Flange 1.5/1", Reinforced Pump Head) Motor LPM-4000.2 (3m FEP Cable, ETFE Coating, AMP Connector) including Eyebolt Seal Set (PVDF, FKM Gasket) Controller LPC-4000.1 (Standalone Display, Enable Connector) Pump Head LPP-4000.7 (Flange 1.5/1", PTFE-Housing with SS-Support, PFA-Impeller, FFKM O-Ring) <i>Note: Extension Cables MCAP-4000.1-yy and MCAS-600.1-yy to be ordered separately.</i>	100-91250	BPS-4000	Discontinued. Replacement system is BPS-4000.64S (100-91841)
Pump System BPS-4000.65 (USB+PLC, Flange 1.5/1", Reinforced Pump.) / BPS-4000.66 (RS232+PLC) Motor LPM-4000.2 (3m FEP Cable, ETFE Coating, AMP Connector) including Eyebolt Seal Set (PVDF, FKM Gasket) Controller LPC-4000.2 (USB and PLC Interfaces) / LPC-4000.3 (RS232 and PLC Interfaces) Pump Head LPP-4000.7 (Flange 1.5/1", PTFE-Housing with SS-Support, PFA-Impeller, FFKM O-Ring) <i>Note: Extension Cables MCAP-4000.1-yy and MCAS-600.1-yy to be ordered separately.</i>	100-91251 or 100-91252	BPS-4000	Discontinued. Replacement system is BPS-4000.65S (100-91842) and BPS-4000.66S (100-91843) respectively
Pump System BPS-4000.67 (ATEX, Stand-Alone, Flange 1.5/1", Reinforced Pump Head) Motor LPM-4000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) with Eyebolt Seal Set (PVDF, FKM Gasket) Controller LPC-4000.1 (Standalone Display, Enable Connector) Pump Head LPP-4000.7 (Flange 1.5/1", PTFE-Housing with SS-Support, PFA-Impeller, FFKM O-Ring) <i>Note: Extension Cables MCAP-4000.2-yy and MCAS-600.3-yy to be ordered separately.</i>	100-91253	BPS-4000	Discontinued. Replacement system is BPS-4000.67S (100-91844)
Pump System BPS-4000.68 (ATEX, USB+PLC, Flange 1.5/1", Reinfrc. Pump.) / BPS-4000.69 (RS232+PLC) Motor LPM-4000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) with Eyebolt Seal Set (PVDF, FKM Gasket) Controller LPC-4000.2 (USB and PLC Interfaces) / LPC-4000.3 (RS232 and PLC Interfaces) Pump Head LPP-4000.7 (Flange 1.5/1", PTFE-Housing with SS-Support, PFA-Impeller, FFKM O-Ring) <i>Note: Extension Cables MCAP-4000.2-yy and MCAS-600.3-yy to be ordered separately.</i>	100-91254 or 100-91255	BPS-4000	Discontinued. Replacement system is BPS-4000.68S (100-91845) and BPS-4000.69S (100-91845) respectively
Pump System BPS-4000.88 (ATEX, Stand-Alone, Flange 1.5/1", Integrated Watercooling) Motor LPM-4000.12 (ATEX, 3m PVC Cable, Epoxy Coating, Hum. Connectors) with Eyebolt Seal Set (PVDF, FKM Gasket) Controller LPC-4000.1 (Standalone Display, Enable Connector) Pump Head LPP-4000.7 (Flange 1.5/1", PTFE-Housing with SS-Support, PFA-Impeller, FFKM O-Ring) <i>Note: Extension Cables MCAP-4000.2-yy and MCAS-600.3-yy to be ordered separately.</i>	100-91617	BPS-4000	Discontinued. Replacement system is BPS-4000.88S (100-91847)
Pump System BPS-4000.89 (ATEX, USB+PLC, Flange 1.5/1", Integrated Watercooling) / BPS-4000.92 (RS232+PLC) Motor LPM-4000.12 (ATEX, 3m PVC Cable, Epoxy Coating, Hum. Connectors) with Eyebolt Seal Set (PVDF, FKM Gasket) Controller LPC-4000.2 (USB and PLC Interfaces) / LPC-4000.3 (RS232 and PLC Interfaces) Pump Head LPP-4000.7 (Flange 1.5/1", PTFE-Housing with SS-Support, PFA-Impeller, FFKM O-Ring) <i>Note: Extension Cables MCAP-4000.2-yy and MCAS-600.3-yy to be ordered separately.</i>	100-91618 or 100-91621	BPS-4000	Discontinued. Replacement system is BPS-4000.89S (100-91848) and BPS-4000.90S (100-91849) respectively
Pump System BPS-4000.70 (HazLoc, Stand-Alone, Flange 1.5/1", Reinforced Pump Head) Motor LPM-4000.10 (HazLoc, ETFE Coat., Circ. Connect. with NPT for Conduit) with Eyebolt Seal Set (PVDF, FKM Gasket) Controller LPC-4000.1 (Standalone Display, Enable Connector) Pump Head LPP-4000.7 (Flange 1.5/1", PTFE-Housing with SS-Support, PFA-Impeller, FFKM O-Ring) <i>Note: Extens. Cables MCIP-4000.1-yy/MCIS-2000.1-yy AND MCAP-4000.2-yy/MCAS-600.3-yy to be ordered separately.</i>	100-91256	BPS-4000	Discontinued. Replacement system is BPS-4000.70S (100-91850)
Pump System BPS-4000.71 (HazLoc, USB+PLC, Flange 1.5/1", Reinf. Pump.) / BPS-4000.72 (RS232+PLC) Motor LPM-4000.10 (HazLoc, ETFE Coat., Circ. Connect. with NPT for Conduit) with Eyebolt Seal Set (PVDF, FKM Gasket) Controller LPC-4000.2 (USB and PLC Interfaces) / LPC-4000.3 (RS232 and PLC Interfaces) Pump Head LPP-4000.7 (Flange 1.5/1", PTFE-Housing with SS-Support, PFA-Impeller, FFKM O-Ring) <i>Note: Extens. Cables MCIP-4000.1-yy/MCIS-2000.1-yy and MCAP-4000.2-yy/MCAS-600.3-yy to be ordered separately.</i>	100-91257 or 100-91258	BPS-4000	Discontinued. Replacement system is BPS-4000.71S (100-91851) and BPS-4000.72S (100-91852) respectively
Pump System BPS-4000.73 (Stand-Alone, Pillar 1.5/1", Reinforced Pump Head) Motor LPM-4000.2 (3m FEP Cable, ETFE Coating, AMP Connector) including Eyebolt Seal Set (PVDF, FKM Gasket) Controller LPC-4000.1 (Standalone Display, Enable Connector) Pump Head LPP-4000.8 (Pillar 1.5/1", PTFE-Housing with SS Support, PFA-Impeller, FFKM O-Ring) <i>Note: Extension Cables MCAP-4000.1-yy and MCAS-600.1-yy to be ordered separately.</i>	100-91259	BPS-4000	Discontinued. Replacement system is BPS-4000.73S (100-91853)
Pump System BPS-4000.74 (USB+PLC, Pillar 1.5/1", Reinforced Pump Head) / BPS-4000.75 (RS232+PLC) Motor LPM-4000.2 (3m FEP Cable, ETFE Coating, AMP Connector) including Eyebolt Seal Set (PVDF, FKM Gasket) Controller LPC-4000.2 (USB and PLC Interfaces) / LPC-4000.3 (RS232 and PLC Interfaces) Pump Head LPP-4000.8 (Pillar 1.5/1", PTFE-Housing with SS-Support, PFA-Impeller, FFKM O-Ring) <i>Note: Extension Cables MCAP-4000.1-yy and MCAS-600.1-yy to be ordered separately.</i>	100-91260 or 100-91261	BPS-4000	Discontinued. Replacement system is BPS-4000.74S (100-91854) and BPS-4000.75S (100-91855) respectively
Pump System BPS-4000.76 (ATEX, Stand-Alone, Pillar 1.5/1", Reinforced Pump Head) Motor LPM-4000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) with Eyebolt Seal Set (PVDF, FKM Gasket) Controller LPC-4000.1 (Standalone Display, Enable Connector) Pump Head LPP-4000.8 (Pillar 1.5/1", PTFE-Housing with SS-Support, PFA-Impeller, FFKM O-Ring) <i>Note: Extension Cables MCAP-4000.2-yy and MCAS-600.3-yy to be ordered separately.</i>	100-91262	BPS-4000	Discontinued. Replacement system is BPS-4000.76S (100-91856)
Pump System BPS-4000.77 (ATEX, USB+PLC, Pillar 1.5/1", Reinforced Pump Head) / BPS-4000.78 (RS232+PLC) Motor LPM-4000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) with Eyebolt Seal Set (PVDF, FKM Gasket) Controller LPC-4000.2 (USB and PLC Interfaces) / LPC-4000.3 (RS232 and PLC Interfaces) Pump Head LPP-4000.8 (Pillar 1.5/1", PTFE-Housing with SS-Support, PFA-Impeller, FFKM O-Ring) <i>Note: Extension Cables MCAP-4000.2-yy and MCAS-600.3-yy to be ordered separately.</i>	100-91263 or 100-91264	BPS-4000	Discontinued. Replacement system is BPS-4000.77S (100-91857) and BPS-4000.78S (100-91858) respectively
Pump System BPS-4000.90 (ATEX, Stand-Alone, Flange 1.5/1", Integrated Watercooling) Motor LPM-4000.12 (ATEX, 3m PVC Cable, Epoxy Coating, Hum. Connectors) with Eyebolt Seal Set (PVDF, FKM Gasket) Controller LPC-4000.1 (Standalone Display, Enable Connector) Pump Head LPP-4000.8 (Pillar 1.5/1", PTFE-Housing with SS-Support, PFA-Impeller, FFKM O-Ring) <i>Note: Extension Cables MCAP-4000.2-yy and MCAS-600.3-yy to be ordered separately.</i>	100-91619	BPS-4000	Discontinued. Replacement system is BPS-4000.90S (100-91859)
Pump System BPS-4000.91 (ATEX, USB+PLC, Pillar 1.5/1", Integrated Watercooling) / BPS-4000.86 (RS232+PLC) Motor LPM-4000.12 (ATEX, 3m PVC Cable, Epoxy Coating, Hum. Connectors) with Eyebolt Seal Set (PVDF, FKM Gasket) Controller LPC-4000.2 (USB and PLC Interfaces) / LPC-4000.3 (RS232 and PLC Interfaces) Pump Head LPP-4000.8 (Pillar 1.5/1", PTFE-Housing with SS-Support, PFA-Impeller, FFKM O-Ring) <i>Note: Extension Cables MCAP-4000.2-yy and MCAS-600.3-yy to be ordered separately.</i>	100-91620 or 100-91579	BPS-4000	Discontinued. Replacement system is BPS-4000.91S (100-91860) and BPS-4000.86S (100-91861) respectively
Pump System BPS-4000.79 (HazLoc, Stand-Alone, Pillar 1.5/1", Reinforced Pump Head) Motor LPM-4000.10 (HazLoc, ETFE Coat., Circ. Connect. with NPT for Conduit) with Eyebolt Seal Set (PVDF, FKM Gasket) Controller LPC-4000.1 (Standalone Display, Enable Connector) Pump Head LPP-4000.8 (Pillar 1.5/1", PTFE-Housing with SS-Support, PFA-Impeller, FFKM O-Ring) <i>Note: Extens. Cables MCIP-4000.1-yy/MCIS-2000.1-yy AND MCAP-4000.2-yy/MCAS-600.3-yy to be ordered separately.</i>	100-91265	BPS-4000	Discontinued. Replacement system is BPS-4000.79S (100-91862)
Pump System BPS-4000.80 (HazLoc, USB+PLC, Pillar 1.5/1", Reinf. Pump Head) / BPS-4000.81 (RS232+PLC) Motor LPM-4000.10 (HazLoc, ETFE Coat., Circ. Connect. with NPT for Conduit) with Eyebolt Seal Set (PVDF, FKM Gasket) Controller LPC-4000.2 (USB and PLC Interfaces) / LPC-4000.3 (RS232 and PLC Interfaces) Pump Head LPP-4000.8 (Pillar 1.5/1", PTFE-Housing with SS-Support, PFA-Impeller, FFKM O-Ring) <i>Note: Extens. Cables MCIP-4000.1-yy/MCIS-2000.1-yy AND MCAP-4000.2-yy/MCAS-600.3-yy to be ordered separately.</i>	100-91266 or 100-91267	BPS-4000	Discontinued. Replacement system is BPS-4000.80S (100-91863) and BPS-4000.81S (100-91864) respectively

Article Name (and Description)	Part No.	Article Category	Note
Accessories			
Fan Cooling Module FCM-4000.1 (PP Molded, 24VDC Fan)	190-10178	Accessories Pump Systems	
Air Cooling Module ACM-4000.1 (PP, NPT1/4", Machined)	190-10177	Accessories Pump Systems	
Air Cooling Module ACM-4000.3 (PP EL-S Conductive for ATEX, NPT1/4", Machined)	190-10190	Accessories Pump Systems	For operation with ATEX motor.
ATEX Cable Sealing System ACS-A.1	100-90292	Accessories Pump Systems	
Eyebolt Seal Set M16x16 PVDF (PVDF screw SW24, FKM Gasket)	100-90913	Accessories Pump Systems	For chemical protection of the eyebolt thread when the eyebolt is removed.
Adaptor/Extension Power Cable, MCAP-4000.1-05 (0.5m, PVC Jacket, Circular AMP/COMBICON)	190-10172	Accessories Pump Systems	
Adaptor/Extension Power Cable, MCAP-4000.1-30 (3.0m)	190-10173		
Adaptor/Extension Power Cable, MCAP-4000.1-50 (5.0m)	190-10174		
Adaptor/Extension Power Cable, MCAP-4000.1-70 (7.0m)	190-10175		
Adaptor/Extension Power Cable, MCAP-4000.1-100 (10.0m)	190-10176		
Adaptor/Extension Sensor Cable, MCAS-600.1-05 (0.5m, PVC Jacket, Circular AMP/D-SUB)	190-10122	Accessories Pump Systems	
Adaptor/Extension Sensor Cable, MCAS-600.1-30 (3.0m)	190-10123		
Adaptor/Extension Sensor Cable, MCAS-600.1-50 (5.0m)	190-10124		
Adaptor/Extension Sensor Cable, MCAS-600.1-70 (7.0m)	190-10101		
Adaptor/Extension Sensor Cable, MCAS-600.1-100 (10m)	190-10125		
Adaptor/Extension Power Cable, MCAP-4000.2-05 (0.5m, PVC Jacket, Circular Hummel/COMBICON)	190-10180	Accessories Pump Systems	
Adaptor/Extension Power Cable, MCAP-4000.2-30 (3.0m)	190-10181		
Adaptor/Extension Power Cable, MCAP-4000.2-50 (5.0m)	190-10182		
Adaptor/Extension Power Cable, MCAP-4000.2-70 (7.0m)	190-10183		
Adaptor/Extension Power Cable, MCAP-4000.2-100 (10.0m)	190-10184		
Adaptor/Extension Sensor Cable, MCAS-600.3-05 (0.5m, PVC Jacket, Circular Hummel/D-SUB)	190-10158	Accessories Pump Systems	
Adaptor/Extension Sensor Cable, MCAS-600.3-30 (3.0m)	190-10159		
Adaptor/Extension Sensor Cable, MCAS-600.3-50 (5.0m)	190-10130		
Adaptor/Extension Sensor Cable, MCAS-600.3-70 (7.0m)	190-10160		
Adaptor/Extension Sensor Cable, MCAS-600.3-100 (10m)	190-10161		
Adaptor/Extension Power Cable, MCIP-4000.1-05 (0.5m, PVC Jacket, Circular Hummel/Circular Hummel)	190-10402	Accessories Pump Systems	For connecting the HazLoc motors. Use MCIP-4000.2 to extend the power cable on other motor types.
Adaptor/Extension Power Cable, MCIP-4000.1-30 (3.0m)	190-10403		
Adaptor/Extension Power Cable, MCIP-4000.1-50 (5.0m)	190-10404		
Adaptor/Extension Power Cable, MCIP-4000.1-70 (7.0m)	190-10405		
Adaptor/Extension Power Cable, MCIP-4000.1-100 (10.0m)	190-10406		
Adaptor/Extension Sensor Cable, MCIS-2000.1-05 (0.5m, PVC Jacket, Circular Hummel/Circular Hummel)	190-10391	Accessories Pump Systems	For connecting the HazLoc motors. Use MCIS-600.1 to extend the sensor cable on other motor types.
Adaptor/Extension Sensor Cable, MCIS-2000.1-30 (3.0m)	190-10392		
Adaptor/Extension Sensor Cable, MCIS-2000.1-50 (5.0m)	190-10393		
Adaptor/Extension Sensor Cable, MCIS-2000.1-70 (7.0m)	190-10394		
Adaptor/Extension Sensor Cable, MCIS-2000.1-100 (10.0m)	190-10395		
Spare Parts			
Impeller Exchange Kit IEK-4000.2 (LPI-4000.1 ECTFE, 8 SS Pump Head Screws with Washer and Protective Cover, 8 SS+PTFE Motor Screws, FFKM O-Ring)	100-90961	Sparte Parts Pump Systems	For LPP-4000.5 pump head. Not to be used for new applications.
Impeller Exchange Kit IEK-4000.5 (LPI-4000.4 PFA, 8 SS Pump Head Screws with Washer and Protective Cover, 8 SS+PTFE Motor Screws, FFKM O-Ring)	100-91244	Sparte Parts Pump Systems	For LPP-4000.7 and LPP-4000.8 pump heads.
Motor LPM-4000.2 (ETFE Coating, 3m FEP Cable with AMP Connectors)	100-10043	BPS-4000	
Motor LPM-4000.8 (ATEX) (ATEX, ETFE Coating, 3m FEP Cable with Hummel Connectors)	100-10048	BPS-4000	
Motor LPM-4000.12 (ATEX) (ATEX, Epoxy Coating, 3m PVC Cable with Hummel Connectors, Integrated Watercooling)	100-10183	BPS-H	
Motor LPM-4000.10 (HazLoc) (HazLoc, ETFE Coating, Hummel Connectors with NPT Threads for Conduit)	100-10115	BPS-4000	
Controller LPC-4000.1 (Stand-alone with User Display, Enable and Power Connector included)	100-90370	BPS-4000	Controller with firmware for pump heads LPP-4000.5/6/7/8. Discontinued: replacement is LPC-4000S.1 (100-30156)
Controller LPC-4000.2 (USB and PLC Interface, PLC Connector and Power Connector included)	100-90371	BPS-4000	Controller with firmware for pump heads LPP-4000.5/6/7/8. Discontinued: replacement is LPC-4000S.2 (100-30145)
Controller LPC-4000.3 (RS232 and PLC Interface, PLC Connector and Power Connector included)	100-90381	BPS-4000	Controller with firmware for pump heads LPP-4000.5/6/7/8. Discontinued: replacement is LPC-4000S.2 (100-30146)
Pump Head LPP-4000.7 (Flange) (PTFE Housing with SS-Support, Flange 1.5"/1", PFA-Impeller LPI-4000.4, FFFPM Sealing O-Ring, SS Screws, Reinforcing Case PP+GF30)	100-91242	Sparte Parts Pump Systems	
Pump Head LPP-4000.8 (Pillar) (PTFE Housing with SS-Support, Pillar 1.5"/1", PFA-Impeller LPI-4000.4, FFFPM Sealing O-Ring, SS Screws, Reinforcing Case PP+GF30)	100-91241	Sparte Parts Pump Systems	
Pump Head LPP-4000.5 (Machined PTFE Housing with SS-Support, Flange 1.5"/1", ECTFE-Impeller LPI-4000.1, FFKM O-Ring, SS Screws, Reinforcing Case PP+GF30)	100-90960	Sparte Parts Pump Systems	Not to be used for new applications. Replacement pump head is LPP-4000.7 (100-91242)
Pump Head LPP-4000.6 (Machined PTFE Housing with SS-Support, Pillar 1.5"/1", ECTFE-Impeller LPI-4000.1, FFKM O-Ring, SS Screws, Reinforcing Case PP+GF30)	100-91123	Sparte Parts Pump Systems	Not to be used for new applications. Replacement pump head is LPP-4000.8 (100-91241)