

Levitronix® Standard Article List and Order Information
Maglev Pumpsystem BPS-2000.S, Accessories and Spare Parts

Article Name (and Description)	Part No.	Article Category	Note
Systems			
Pump System BPS-2000.48S (High Flow) Motor LPM-2000.2 (3m FEP Cable, ETFE Coating, AMP Connector) Controller LPC-2000S.1-01 (Standalone Display, Enable Connector, High Flow) Pump Head LPP-2000.22 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, FFFPM O-Ring) Note: Extension Cables MCAP-2000.1-yy and MCAS-600.1-yy to be ordered separately.	100-91990	BPS-2000	
Pump System BPS-2000.49S or BPS-2000.46S (High Flow) Motor LPM-2000.2 (3m FEP Cable, ETFE Coating, AMP Connector) Controller LPC-2000S.2-01 (USB, Extended PLC Interface) or LPC-2000S.3-01 (RS232, Ext. PLC) Pump Head LPP-2000.22 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, FFFPM O-Ring) Note: Extension Cables MCAP-2000.1-yy and MCAS-600.1-yy to be ordered separately.	100-91685 or 100-91606	BPS-2000	
Pump System BPS-2000.4S (High Pressure) Motor LPM-2000.2 (3m FEP Cable, ETFE Coating, AMP Connector) Controller LPC-2000S.1-02 (Standalone Display, Enable Connector) Pump Head LPP-2000.7 (PTFE, Pillar FM 1", PFA Impeller, FFFPM O-Ring) Note: Extension Cables MCAP-2000.1-yy and MCAS-600.1-yy to be ordered separately.	100-91977	BPS-2000	
Pump System BPS-2000.5S or BPS-2000.6S (High Pressure) Motor LPM-2000.2 (3m FEP Cable, ETFE Coating, AMP Connector) Controller LPC-2000S.2-02 (USB, Extended PLC Interface) or LPC-2000S.3-02 (RS232, Ext. PLC) Pump Head LPP-2000.7 (PTFE, Pillar FM 1", PFA Impeller, FFFPM O-Ring) Note: Extension Cables MCAP-2000.1-yy and MCAS-600.1-yy to be ordered separately.	100-91686 or 100-91687	BPS-2000	
Pump System BPS-2000.65S (Hybrid, Sealless) Motor LPM-2000.2 (3m FEP Cable, ETFE Coating, AMP Connector) Controller LPC-2000S.1-14 (Standalone Display, Enable Connector, High Flow) Pump Head LPP-2000.21 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Welded Housing) Note: Extension Cables MCAP-2000.1-yy and MCAS-600.1-yy to be ordered separately.	100-92002	BPS-2000	
Pump System BPS-2000.66S or BPS-2000.67S (Hybrid, Sealless) Motor LPM-2000.2 (3m FEP Cable, ETFE Coating, AMP Connector) Controller LPC-2000S.2-14 (USB, Extended PLC Interface) or LPC-2000S.3-14 (RS232, Ext. PLC) Pump Head LPP-2000.21 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Welded) Note: Extension Cables MCAP-2000.1-yy and MCAS-600.1-yy to be ordered separately.	100-92003 or 100-91899	BPS-2000	
Pump System BPS-2000.50S (High Flow, ATEX) Motor LPM-2000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000S.1-01 (Standalone Display, Enable Connector) Pump Head LPP-2000.22 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, FFFPM O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91991	BPS-2000	
Pump System BPS-2000.51S or BPS-2000.52S (High Flow, ATEX) Motor LPM-2000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000S.2-01 (USB, Extended PLC Interface) or LPC-2000S.3-01 (RS232, Ext. PLC) Pump Head LPP-2000.22 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, FFFPM O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91992 or 100-91993	BPS-2000	
Pump System BPS-2000.10S (High Pressure, ATEX) Motor LPM-2000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000S.1-02 (Standalone Display, Enable Connector) Pump Head LPP-2000.7 (PTFE, Pillar FM 1", PFA Impeller, FFFPM O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91978	BPS-2000	
Pump System BPS-2000.11S or BPS-2000.12S (High Pressure, ATEX) Motor LPM-2000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000S.2-02 (USB, Extended PLC Interface) or LPC-2000S.3-02 (RS232, Ext. PLC) Pump Head LPP-2000.7 (PTFE, Pillar FM 1", PFA Impeller, FFFPM O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91817 or 100-91979	BPS-2000	
Pump System BPS-2000.68S (Hybrid Sealless, ATEX) Motor LPM-2000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000S.1-14 (Standalone Display, Enable Connector) Pump Head LPP-2000.21 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Welded Housing) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-92004	BPS-2000	
Pump System BPS-2000.69S or BPS-2000.70S (Hybrid, Sealless, ATEX) Motor LPM-2000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000S.2-14 (USB, Extended PLC Interface) or LPC-2000S.3-14 (RS232, Ext. PLC) Pump Head LPP-2000.21 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Welded Housing) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91882 or 100-92005	BPS-2000	
Pump System BPS-2000.30S (High Flow, ATEX, Antistatic PTFE) Motor LPM-2000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000S.1-01 (Standalone Display, Enable Connector) Pump Head LPP-2000.14 (Antistatic PTFE Housing, Pillar FM 1", PFA-Impeller, FFFPM O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91980	BPS-2000	For solvent applications.
Pump System BPS-2000.31S or BPS-2000.32S (High Flow, ATEX, Antistatic PTFE) Motor LPM-2000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000S.2-01 (USB, Extended PLC Interface) or LPC-2000S.3-01 (RS232, Ext. PLC) Pump Head LPP-2000.14 (Antistatic PTFE Housing, Pillar FM 1", PFA-Impeller, FFFPM O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91981 or 100-91982	BPS-2000	For solvent applications.
Pump System BPS-2000.116S or BPS-2000.117S (High Pressure, ATEX, Antistatic PTFE) Motor LPM-2000.8 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000S.2-02 (USB, Extended PLC Interface) or LPC-2000S.3-01 (RS232, Ext. PLC) Pump Head LPP-2000.32 (Antistatic PTFE Housing, Pillar FM 1", PFA-Impeller, FFFPM O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-92074 or 100-92075	BPS-2000	For solvent applications.
Pump System BPS-2000.58S (High Pressure, ATEX, Stainless Steel) Motor LPM-2000.15 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000S.1-12 (Standalone Display, Enable Connector) Pump Head LPP-2000.20 (Stainless Steel Housing/Impeller, VCR 1", Unfilled FFFPM O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91999	BPS-2000	For solvent applications.
Pump System BPS-2000.59S or BPS-2000.60S (High Pressure, ATEX, Stainless Steel) Motor LPM-2000.15 (ATEX, 3m FEP Cable, ETFE Coating, Hummel Connectors) Controller LPC-2000S.2-12 (USB, Extended PLC Interface) or LPC-2000.3-12 (RS232, Ext. PLC) Pump Head LPP-2000.20 (Stainless Steel Housing/Impeller, VCR 1", Unfilled FFFPM O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-92000 or 100-92001	BPS-2000	For solvent applications.

Article Name (and Description)	Part No.	Article Category	Note
Pump System BPS-2000.78S (High Flow, ATEX, Water Cooling) Motor LPM-2000.18 (ATEX, 3m PVC Cable, Epoxy Coating, Hummel Connectors, Water Cooling) Controller LPC-2000S.1-01 (Standalone Display, Enable Connector) Pump Head LPP-2000.22 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, FFPM O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-92011	BPS-2000	
Pump System BPS-2000.79S or BPS-2000.80S (High Flow, ATEX, Water Cooling) Motor LPM-2000.18 (ATEX, 3m PVC Cable, Epoxy Coating, Hummel Connectors, Water Cooling) Controller LPC-2000S.2-01 (USB, Extended PLC Interface) or LPC-2000S.3-01 (RS232, Ext. PLC) Pump Head LPP-2000.22 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, FFPM O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91654 or 100-92012	BPS-2000	
Pump System BPS-2000.81S (High Pressure, ATEX, Water Cooling) Motor LPM-2000.18 (ATEX, 3m PVC Cable, Epoxy Coating, Hummel Connectors, Water Cooling) Controller LPC-2000S.1-02 (Standalone Display, Enable Connector) Pump Head LPP-2000.7 (PTFE, Pillar FM 1", PFA Impeller, FFPM O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-92013	BPS-2000	
Pump System BPS-2000.82S or BPS-2000.83S (High Pressure, ATEX, Water Cooling) Motor LPM-2000.18 (ATEX, 3m PVC Cable, Epoxy Coating, Hummel Connectors, Water Cooling) Controller LPC-2000S.2-02 (USB, Extended PLC Interface) or LPC-2000S.3-02 (RS232, Ext. PLC) Pump Head LPP-2000.7 (PTFE, Pillar FM 1", PFA Impeller, FFPM O-Ring) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-92014 or 100-92015	BPS-2000	
Pump System BPS-2000.77S (Hybrid, Sealless, ATEX, Water Cooling) Motor LPM-2000.18 (ATEX, 3m PVC Cable, Epoxy Coating, Hummel Connectors, Water Cooling) Controller LPC-2000S.1-14 (Standalone Display, Enable Connector) Pump Head LPP-2000.21 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Welded Housing) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-92010	BPS-2000	
Pump System BPS-2000.75S or BPS-2000.76S (Hybrid, Sealless, ATEX, Water Cooling) Motor LPM-2000.18 (ATEX, 3m PVC Cable, Epoxy Coating, Hummel Connectors, Water Cooling) Controller LPC-2000S.2-14 (USB, Extended PLC Interface) or LPC-2000S.3-14 (RS232, Ext. PLC) Pump Head LPP-2000.21 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Welded Housing) Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91664 or 100-92009	BPS-2000	
Pump System BPS-2000.53S (High Flow, HazLoc) Motor LPM-2000.9 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors) Controller LPC-2000S.1-01 (Standalone Display, Enable Connector) Pump Head LPP-2000.22 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, FFPM O-Ring) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91994	BPS-2000	
Pump System BPS-2000.54S or BPS-2000.55S (High Flow, HazLoc) Motor LPM-2000.9 (HazLoc Class Div2, ETFE Coating, Circular Connectors) Controller LPC-2000S.2-01 (USB, Extended PLC Interface) or LPC-2000S.3-01 (RS232, Ext. PLC) Pump Head LPP-2000.22 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, FFPM O-Ring) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91995 or 100-91996	BPS-2000	
Pump System BPS-2000.35S (High Pressure, HazLoc) Motor LPM-2000.9 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors) Controller LPC-2000S.1-02 (Standalone Display, Enable Connector) Pump Head LPP-2000.7 (PTFE, Pillar FM 1", PFA Impeller, FFPM O-Ring) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91983	BPS-2000	
Pump System BPS-2000.36S or BPS-2000.38S (High Pressure, HazLoc) Motor LPM-2000.9 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors) Controller LPC-2000S.2-02 (USB, Extended PLC Interface) or LPC-2000S.3-02 (RS232, Ext. PLC) Pump Head LPP-2000.7 (PTFE, Pillar FM 1", PFA Impeller, FFPM O-Ring) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91984 or 100-91985	BPS-2000	
Pump System BPS-2000.71S (Hybrid, Sealless, HazLoc) Motor LPM-2000.9 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors) Controller LPC-2000S.1-14 (Standalone Display, Enable Connector) Pump Head LPP-2000.21 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Welded Housing) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-92006	BPS-2000	
Pump System BPS-2000.72S or BPS-2000.73S (Hybrid, Sealless, HazLoc) Motor LPM-2000.9 (HazLoc Class Div2, ETFE Coating, Circular Connectors) Controller LPC-2000S.2-14 (USB, Extended PLC Interface) or LPC-2000S.3-14 (RS232, Ext. PLC) Pump Head LPP-2000.21 (PFA+PP/GF30 Housing, Tube 1", PFA-Impeller, Welded Housing) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-92007 or 100-92008	BPS-2000	
Pump System BPS-2000.39S (High Flow, HazLoc, Antistatic PTFE) Motor LPM-2000.9 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors) Controller LPC-2000S.1-01 (Standalone Display, Enable Connector) Pump Head LPP-2000.14 (Antistatic PTFE Housing, Pillar FM 1", PFA-Impeller, FFPM O-Ring) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91986	BPS-2000	For solvent applications.
Pump System BPS-2000.40S or BPS-2000.41S (High Flow, HazLoc, Antistatic PTFE) Motor LPM-2000.9 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors) Controller LPC-2000S.2-01 (USB, Extended PLC Interface) or LPC-2000S.3-01 (RS232, Ext. PLC) Pump Head LPP-2000.14 (Antistatic PTFE Housing, Pillar FM 1", PFA-Impeller, FFPM O-Ring) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91987 or 100-91988	BPS-2000	For solvent applications.
Pump System BPS-2000.118S or BPS-2000.119S (High Pressure, HazLoc, Antistatic PTFE) Motor LPM-2000.9 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors) Controller LPC-2000S.2-02 (USB, Extended PLC Interface) or LPC-2000S.3-02 (RS232, Ext. PLC) Pump Head LPP-2000.32 (Antistatic PTFE Housing, Pillar FM 1", PFA-Impeller, FFPM O-Ring) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-92076 or 100-92077	BPS-2000	For solvent applications.
Pump System BPS-2000.56S (High Pressure, HazLoc, Stainless Steel) Motor LPM-2000.17 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors) Controller LPC-2000S.1-12 (Standalone Display, Enable Connector) Pump Head LPP-2000.20 (Stainless Steel Housing/Impeller, VCR 1", Unfilled FFPM O-Ring) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91997	BPS-2000	For solvent applications.
Pump System BPS-2000.47S or BPS-2000.57S (High Pressure, HazLoc, Stainless Steel) Motor LPM-2000.17 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors) Controller LPC-2000S.2-12 (USB, Extended PLC Interface) or LPC-2000S.3-12 (RS232, Ext. PLC) Pump Head LPP-2000.20 (Stainless Steel Housing/Impeller, VCR 1", Unfilled FFPM O-Ring) Note: Interconnect Cables MCIP-2000.1-yy and MCIS-2000.1-yy to be ordered separately Note: Extension Cables MCAP-2000.2/3-yy and MCAS-600.2/3-yy to be ordered separately.	100-91989 or 100-91998	BPS-2000	For solvent applications.

Article Name (and Description)	Part No.	Article Category	Note
Accessories			
Air Cooling Module ACM-4.2 (PP, NPT1/4", Molded)	190-10139	Accessories Pump Systems	
Air Cooling Module ACM-4.3 (PP-EL-S, NPT1/4", Machined, for ATEX Motors)	190-10243	Accessories Pump Systems	
Fan Cooling Module FCM-2000.1 (PP+Talk Cover, 24V/33.5W IP68 Fan, 3m PP Cable/M12 Connector)	190-10390	Accessories Pump Systems	
Fan Cooling Module Cable, FCC-1.1-50 (5m, PP Cable, M12 Connector to Open Wire)	190-10407	Accessories Pump Systems	
Fan Cooling Module Cable, FCC-1.1-100 (10m)	190-10408	Accessories Pump Systems	
Fan Cooling Module FCM-2000.2 (PP+Els, 24VDC/30W, 10m Cable Open Wire, ATEX/IECEX, Bearingless Fan)	190-10585	BFS-i	
ATEX Cable Sealing System ACS-A.1	100-90292	Accessories Pump Systems	
Adaptor/Extension Power Cable, MCAP-2000.1-05 (0.5m, PVC-Jacket, Circular AMP/COMBICON)	190-10208	Accessories Pump Systems	
Adaptor/Extension Power Cable, MCAP-2000.1-30 (3m)	190-10210		
Adaptor/Extension Power Cable, MCAP-2000.1-50 (5m)	190-10211		
Adaptor/Extension Power Cable, MCAP-2000.1-70 (7m)	190-10205		
Adaptor/Extension Power Cable, MCAP-2000.1-100 (10m)	190-10212		
Adaptor/Extension Sensor Cable, MCAS-600.1-05 (0.5m, PVC-Jacket, Circular AMP/D-SUB)	190-10122	Accessories Pump Systems	
Adaptor/Extension Sensor Cable, MCAS-600.1-30 (3m)	190-10123		
Adaptor/Extension Sensor Cable, MCAS-600.1-50 (5m)	190-10124		
Adaptor/Extension Sensor Cable, MCAS-600.1-70 (7m)	190-10101		
Adaptor/Extension Sensor Cable, MCAS-600.1-100 (10m)	190-10125		
Adaptor/Extension Power Cable, MCAP-2000.2-05 (0.5m, PVC-Jacket, Circular Wall-Mount. M23/COMBICON)	190-10213	Accessories Pump Systems	
Adaptor/Extension Power Cable, MCAP-2000.2-30 (3m)	190-10215		
Adaptor/Extension Power Cable, MCAP-2000.2-50 (5m)	190-10216		
Adaptor/Extension Power Cable, MCAP-2000.2-70 (7m)	190-10217		
Adaptor/Extension Power Cable, MCAP-2000.2-100 (10m)	190-10218		
Adaptor/Extension Sensor Cable, MCAS-600.2-05 (0.5m, PVC-Jacket, Circular Wall-Mountable M23/D-SUB)	190-10226	Accessories Pump Systems	
Adaptor/Extension Sensor Cable, MCAS-600.2-30 (3m)	190-10238		
Adaptor/Extension Sensor Cable, MCAS-600.2-50 (5m)	190-10127		
Adaptor/Extension Sensor Cable, MCAS-600.2-70 (7m)	190-10105		
Adaptor/Extension Sensor Cable, MCAS-600.2-100 (10m)	190-10239		
Adaptor/Extension Power Cable, MCAP-2000.3-05 (0.5m, PVC-Jacket, Circular M23/COMBICON)	190-10219	Accessories Pump Systems	
Adaptor/Extension Power Cable, MCAP-2000.3-30 (3m)	190-10221		
Adaptor/Extension Power Cable, MCAP-2000.3-50 (5m)	190-10222		
Adaptor/Extension Power Cable, MCAP-2000.3-70 (7m)	190-10223		
Adaptor/Extension Power Cable, MCAP-2000.3-100 (10m)	190-10224		
Adaptor/Extension Sensor Cable, MCAS-600.3-05 (0.5m, PVC-Jacket, Circular M23/D-SUB)	190-10158	Accessories Pump Systems	
Adaptor/Extension Sensor Cable, MCAS-600.3-30 (3m)	190-10159		
Adaptor/Extension Sensor Cable, MCAS-600.3-50 (5m)	190-10130		
Adaptor/Extension Sensor Cable, MCAS-600.3-70 (7m)	190-10160		
Adaptor/Extension Sensor Cable, MCAS-600.3-100 (10m)	190-10161		
Adaptor/Extension Power Cable, MCIP-2000.1-05 (0.5m, PVC-Jacket, Circular M23/M23)	190-10396	Accessories Pump Systems	
Adaptor/Extension Power Cable, MCIP-2000.1-30 (3m)	190-10397		
Adaptor/Extension Power Cable, MCIP-2000.1-50 (5m)	190-10398		
Adaptor/Extension Power Cable, MCIP-2000.1-70 (7m)	190-10399		
Adaptor/Extension Power Cable, MCIP-2000.1-100 (10m)	190-10400		
Adaptor/Extension Sensor Cable, MCIS-2000.1-05 (0.5m, PVC-Jacket, Circular M23/M23)	190-10391	Accessories Pump Systems	
Adaptor/Extension Sensor Cable, MCIS-2000.1-30 (3m)	190-10392		
Adaptor/Extension Sensor Cable, MCIS-2000.1-50 (5m)	190-10393		
Adaptor/Extension Sensor Cable, MCIS-2000.1-70 (7m)	190-10394		
Adaptor/Extension Sensor Cable, MCIS-2000.1-100 (10m)	190-10395		
Spare Parts			
Impeller Exchange Kit IEK-2000.1 ("High Pressure") (LPI-2000.1, 8x SS+PTFE Pump screws, 4 SS+PTFE Motor Screws, FFPM O-Ring Impeller Exchange Tool IET-3.1)	100-90529	Spare Parts Pump Systems	For pump head LPP-2000.7
Impeller Exchange Kit IEK-2000.2 ("High Flow") (LPI-2000.2, 8x SS+PTFE Pump screws, 4 SS+PTFE Motor Screws, FFPM O-Ring Impeller Exchange Tool IET-3.1)	100-90530	Spare Parts Pump Systems	For pump head LPP-2000.6 and LPP-2000.22
Impeller Exchange Kit IEK-2000.8 ("High Flow") (LPI-2000.2, 8x SS+PTFE Pump Head Screws, 4 SS Motor Screws, FFPM O-Ring Impeller Exchange Tool IET-3.1)	100-90986	Spare Parts Pump Systems	For pump head LPP-2000.14
Impeller Exchange Kit IEK-2000.17 ("High Pressure") (LPI-2000.1, 8x SS+PTFE Pump Head Screws, 4 SS Motor Screws, FFPM O-Ring Impeller Exchange Tool IET-3.1)	100-91904	Spare Parts Pump Systems	For pump head LPP-2000.32
Motor LPM-2000.2 (ETFE Coating, 3m FEP Cable with AMP Connectors)	100-10050	BPS-2000	
Motor LPM-2000.8 (ATEX, ETFE Coating, 3m FEP Cable with Hummel Connectors)	100-10060	BPS-2000	
Motor LPM-2000.15 (ATEX, ETFE Coating, 3m FEP Cable with Humm. Connectors)	100-10164		LPM-2000.15 is for stainless steel pump head only.
Motor LPM-2000.18 (ATEX, Epoxy Coating, 3m PVC Cable with Humm. Connectors, Water Cooling)	100-10181		
Motor LPM-2000.9 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors)	100-10112	BPS-2000	
Motor LPM-2000.17 (HazLoc Class1 Div2, ETFE Coating, Circular Connectors)	100-10166		LPM-2000.17 is for stainless steel pump head only.
Controller LPC-2000S.1-01 (Stand-alone, 2kW, High Flow)	100-30164	BPS-2000	
Controller LPC-2000S.1-02 (Stand-alone, 2kW, High Pressure for PTFE Pump Head)	100-30165		
Controller LPC-2000S.1-12 (Stand-alone, 2kW, High Pressure for Stainless Steel Pump Head)	100-30166		Includes power supply and PLC connector.
Controller LPC-2000S.1-14 (Stand-alone, 2kW, Hybrid)	100-30167		
Controller LPC-2000S.2-01 (USB, PLC Interface, 2kW, High Flow)	100-30136	BPS-2000	
Controller LPC-2000S.2-02 (USB, PLC Interface, 2kW, High Pressure for PTFE Pump Head)	100-30131		
Controller LPC-2000S.2-12 (USB, PLC Interface, 2kW, High Pressure for Stainless Steel Pump Head)	100-30137		Includes power supply and PLC connector.
Controller LPC-2000S.2-14 (USB, PLC Interface, 2kW, Hybrid)	100-30117		
Controller LPC-2000S.3-01 (RS232, PLC Interface, 2kW, High Flow)	100-30127	BPS-2000	
Controller LPC-2000S.3-02 (RS232, PLC Interface, 2kW, High Pressure)	100-30126		
Controller LPC-2000S.3-12 (RS232, PLC Interface, 2kW, High Pressure for Stainless Steel Pump)	100-30138		Includes power supply and PLC connector.
Controller LPC-2000S.3-14 (RS232, PLC Interface, 2kW, Hybrid)	100-30139		
Pump Head LPP-2000.22 - High Flow (PFA Housing, Tube 1" Fitting, PFA-Impeller LPI-2000.2, FFPM O-Ring, SS+PTFE Screws, Reinforcing Case PP+GF30)	100-91415	Spare Parts Pump Systems	
Pump Head LPP-2000.7 - High Pressure (PTFE Housing, Pillar FM 1", PFA-Impeller LPI-2000.1, FFPM O-Ring, SS+PTFE Screws)	100-90419	Spare Parts Pump Systems	
Pump Head LPP-2000.21 - Hybrid, Sealless (PFA Housing, Tube 1" Fitting, PFA Impeller, Welded Housing, SS+PTFE Screws, Reinforcing Case PP+GF30)	100-91495	Spare Parts Pump Systems	
Pump Head LPP-2000.14 - High Flow, Antistatic (Antistatic PTFE Housing, Pillar FM 1", PFA-Impeller LPI-2000.1, FFPM O-Ring, SS Motor Screws, SS+PTFE Pump Head Screws)	100-90985	Spare Parts Pump Systems	
Pump Head LPP-2000.32 - High Pressure, Antistatic (Antistatic PTFE Hous., Pillar FM 1", PFA-Impeller LPI-2000.2, FFPM O-Ring, SS Motor Screws, SS+PTFE Pump Head Screws)	100-91900	Spare Parts Pump Systems	
Pump Head LPP-2000.20 - High Pressure, Stainless Steel (Stainless Steel Housing/Impeller, VCR 1" Fittings, Unfilled FFPM O-Ring, SS Motor/Pump Screws)	100-91424	Spare Parts Pump Systems	For solvent applications. Needs specific motors (LPM-2000.15/17) and controllers (LPC-2000.x-12).